

EMBARGO UNTIL AUGUST 20th 5pm (Brussels time) - 4am (US EASTERN TIME) Tissue fluidization during skin repair Reaserch

Publication in Cell: researchers from the Université Libre de Bruxelles (ULB) discovered how tissue fluidity controls tissue repair and wound healing.

The ability to repair tissue following injuries is essential for the survival of animals. Following wounding, the skin is repaired by activating, migrating, and dividing skin stem cells. Defects of wound healing lead to chronic wounds that constitute a significant clinical problem with a huge financial burden.

In a study published in Cell, a very prestigious scientific journal, researchers led by **Prof. Cédric Blanpain**, **MD/PhD**, **investigator of the WEL Research Institute**, **Director of the Stem Cells and Cancer Laboratory**, and **Professor at the Université Libre de Bruxelles**, discovered that wound healing is accompanied by a change in the physical properties of the skin with a switch from solid to liquid state that is essential for tissue repair.

Using multidisciplinary approaches combining analysis of the behavior of stem cells in living at singlecell resolution, mathematical modeling, biophysical studies, and functional experiments, Rahul Sarate and colleagues have investigated the changes in the physical properties of the skin during wound healing and the molecular mechanisms that regulate this process.

By imaging single fluorescently labeled skin stem cells in real-time in vivo, the ULB researchers found that the physical property of the skin epidermis is dynamically regulated during wound healing. A couple of days following wounding, the skin tissue undergoes fluidization, a transition from a solid-like state to a fluid-like state, that leads to the dispersion of stem cells. Then, the tissue switches back to a solid-like state that is associated with tissue regeneration and repair.

By molecular profiling skin stem cells during wound repair, the researchers identified a regenerative gene signature at the early step of tissue repair. Pharmacologically blocking different components of this gene signature strongly inhibits wound healing and impairs the switch from fluid to solid-like state, showing the importance of the dynamic regulation of solid and fluid-like states for wound healing. "It was very exciting and surprising to discover that tissue regeneration is orchestrated by a modulation of the physical property of the skin. The activation of signaling pathways that regulate the dynamic changes in tissue fluidity during wound healing is essential for tissue repair" explains Rahul Sarate, the first author of the paper.

"It will be important to define whether similar changes in tissue physical properties are also important for the repair of other tissues. We hope that by modulating the dynamic transition of tissue fluidity, we will be able to boost tissue regeneration and wound healing, which might be very important to treat patients with chronic wounds that do not heal spontaneously" commented Prof. Cedric Blanpain, the director of this study.

This work was made possible thanks to the support of the FNRS, TELEVIE, WEL Research Institute, the Fondation Contre le Cancer, the ULB Foundation, and the European Research Council (ERC).

Journalists should credit Cell as the source of the covered story.

Dynamic regulation of tissue fluidity controls skin repair during wound healing

Rahul M Sarate, Joel Hochstetter, Manon Valet, Adrien Hallou, Yura Song, Nordin Bansaccal, Melanie Ligare, Mariaceleste Aragona, Dan Engelman, Anaïs Bauduni, Otger Campàs, Benjamin D. Simons, Cedric Blanpain

Contact :

Cédric Blanpain, MD, PhD

Professor of Stem Cell and Developmental Biology Investigator of the WEL Research Institute, Director of the Laboratory of Stem Cells and Cancer Université Libre de Bruxelles (ULB)

808, route de Lennik, Bat GE, G2 4.205 1070 Bruxelles, Belgium Office : 32-2-555 4175 Lab.: 32-2- 555 4190 Email : <u>Cedric.Blanpain@ulb.be</u> PA Marylène Poelaert: <u>Marylene.Poelaert@ulb.be</u> Lab Website: <u>http://blanpainlab.ulb.ac.be/index.htm</u>

Contact

Service communication de l'Université libre de Bruxelles presse@ulb.be

Vous avez reçu cet e-mail parce que vous êtes un contact de Presse de l'Université libre de Bruxelles. Si vous ne souhaitez plus recevoir ces courriers électroniques, vous pouvez vous désinscrire en écrivant à l'adresse presse@ulb.be.